

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 00-001 | A | Diagram of 10 bench car with tracks Dr62C1 | Dr62C1 |
| 00-002 | A | 12 Bench Car drawing and truck Dr62C1 | Dr62C1 |
| 00-003 | A | 12 Bench drawing Dr62C1 | Dr62C1 |
| 00-004 | A | Car 301 drawing and truck Dr62C1 | Dr62C1 |
| 00-008 | A | Combination Car drawing and truck Dr62C1 | Dr62C1 |
| 00-010 | A | Converted Trailer Car drawing and truck Dr62C1 | Dr62C1 |
| 00-019 | A | Trucks details drawing Dr53C1 | Dr53C1 |
| 00-027 | A | Parts of Brill No79E Trucks Dr00C1 | Dr00C1 |
| 00-028 | A | Dimensions of Brill No 790 Trucks Dr00C1 | Dr00C1 |
| 00-029 | A | Dimensions of Brill No 22 and No 22E Trucks Dr00C1 | Dr00C1 |
| 23-1091 | A | Brake Diagram Centre Aisle Car on 39E and 39E1 trucks Dr27C8 | Dr27C8 |
| 23-1092 | A | Brake Diagrams of 27G trucks cars 111 to 120 BTT Dr27C8 | Dr27C8 |
| 23-1093 | A | Brake Diagrams of 22E1 Brill trucks cars 151 to 158 BTT Dr27C8 | Dr27C8 |
| 23-1093 | A | Brake Diagrams of 22E1 Brill trucks cars 151 to 158 BP BTT Dr27C8 | Dr27C8 |
| 23-1094 | A | Brake Diagrams of 22E Brill trucks cars 102 to 109 except 104 BTT Dr27C8 | Dr27C8 |
| 23-1094 | A | Brake Diagrams of 22E Brill trucks cars 102 to 109 except 104 BP BTT Dr27C8 | Dr27C8 |
| 23-1095 | A | Brake Diagrams of 22E1 Brill trucks cars 168 Dr27C8 | Dr27C8 |
| 23-1096 | A | Brake Diagrams of 22E Brill trucks Dr27C8 | Dr27C8 |
| 23-1097 | A | Brake Diagrams of Peckham trucks Dr27C8 | Dr27C8 |
| 23-1098 | A | Brake gear Diagrams from DC to Peckham trucks Dr27C8 | Dr27C8 |
| 23-1099 | A | Brake Diagrams of Centre aisle car on welded trucks 9ins brake handle Dr27C8 | Dr27C8 |
| 23-1106 | A | Diagrams showing loaded car weights Dr27C8 | Dr27C8 |
| 23-1107 | A | Diagrams showing loaded car weights Dr27C8 | Dr27C8 |
| 23-1108 | A | Diagrams loaded centre aisle car on 39E trucks 4ft 6ins wb Dr27C8 | Dr27C8 |
| 23-1110 | A | Detail of MMTT tramcar type W3 Dr27C8 | Dr27C8 |
| 23-1111 | A | Performance curves PCC cars Dr27C8 | Dr27C8 |
| 23-1112 | A | Graph showing increase in life of electric car wheel flanges due to auto lubnoator NSWGR Dr27C8 | Dr27C8 |
| 23-1114 | A | Diagrams showing loaded car weights Dr27C8 | Dr27C8 |
| 23-1369 | A | Tramcar Breaking distance chart Dr55C1 | Dr55C1 |
| 23-1370 | A | Tramcar Braking Test Dr28C8 | Dr28C8 |
| 23-1371 | A | Tramcar Braking Table Dr28C8 | Dr28C8 |
| 23-1372 | A | Tramcar Breaking distance chart Dr55C1 | Dr55C1 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|--|--------|
| 23-1400 | A | Brake Diagrams of 22E1 Brill trucks cars 159 to 170 Dr27C8 | Dr27C8 |
| 23-164 | A | Standard Combination Car - 36 seats Dr62C1 | Dr62C1 |
| 23-164 | A | Standard Combination Car - 36 seats Dr27C5 | Dr27C5 |
| 23-164 | B | Standard Combination Car - 36 seats Dr27C5 | Dr27C5 |
| 23-165 | A | Melbourne SW6 type tramcar Dr62C1 | Dr62C1 |
| 23-165 | A | Melbourne SW6 type tramcar Dr62C1 | Dr62C1 |
| 23-166 | A | Sydney R1 type tramcar Dr62C1 | Dr62C1 |
| 23-166 | A | Sydney R1 type tramcar Dr27C5 | Dr27C5 |
| 23-167 | A | A Diagram showing position of trolleywheels on Tramcars Dr27C5 | Dr27C5 |
| 23-171 | A | Standard 10 Bench Car outline Dr62C1 | Dr62C1 |
| 23-177 | A | Adelaide F1 type tramcar Dr62C1 | Dr62C1 |
| 23-178 | A | Sydney R type tramcar Dr62C1 | Dr62C1 |
| 23-178 | A | Sydney R type tramcar Dr27C5 | Dr27C5 |
| 23-179 | A | Melbourne W5 type tramcar Dr62C1 | Dr62C1 |
| 23-182 | A | Standard 12 bench tramcar Dr27C5 | Dr27C5 |
| 23-183 | A | Light 12 bench tramcar Dr62C1 | Dr62C1 |
| 23-184 | A | Converted 10 bench car Dr62C1 | Dr62C1 |
| 23-184 | A | Converted 10 bench car Dr27C5 | Dr27C5 |
| 23-184S | A | Converted Horse Tramcar Small Dr62C1 | Dr62C1 |
| 23-185 | A | Standard 10 Bench Car drg2344 Dr62C1 | Dr62C1 |
| 23-186 | A | Diagram of 9 bench car Dr62C1 | Dr62C1 |
| 23-187 | A | Standard 10 bench car Dr62C1 | Dr62C1 |
| 23-187 | A | Standard 10 bench car Dr27C5 | Dr27C5 |
| 23-188 | A | Standard 10 bench car Dr27C5 | Dr27C5 |
| 23-188 | A | Standard 10 Bench Car plan Dr62C1 | Dr62C1 |
| 23-189 | A | Plan of Standard 10 Bench Car drg2345 Dr62C1 | Dr62C1 |
| 23-190 | A | Small Centre Aisle Small Car 32 seats Dr62C1 | Dr62C1 |
| 23-191 | A | One man Car small type Combination Dr62C1 | Dr62C1 |
| 23-192 | A | Small Centre Aisle Car small type on 21E Trucks Dr62C1 | Dr62C1 |
| 23-193 | A | New type centre aisle on 22E trucks Dr62C1 | Dr62C1 |
| 23-195 | A | Centre aisle car 6 round windows Dr62C1 | Dr62C1 |
| 23-202 | A | Standard 10 Bench Car diagram Dr62C1 | Dr62C1 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 23-203 | A | Stepless car 301 (scrapped in 1933) Dr27C5 | Dr27C5 |
| 23-214 | A | 22E1 Truck - cast steel brake hanger part A Dr27C7 | Dr27C7 |
| 23-214 | A | 22E1 Truck - cast steel brake hanger part B Dr27C7 | Dr27C7 |
| 23-214 | A | 22E1 Truck - cast steel brake hanger stitch Dr27C7 | Dr27C7 |
| 23-215 | A | 22E1 Truck - cast steel brake shoe no. 2587 Dr27C7 | Dr27C7 |
| 23-221 | A | C I Brake Block for 39E Truck Driver Dr27C7 | Dr27C7 |
| 23-222 | A | C I Brake Block for 39E Truck pony Dr27C7 | Dr27C7 |
| 23-223 | A | C I Brake Block for Peckham Truck Dr27C7 | Dr27C7 |
| 23-224 | A | C I Brake Block for 22E Truck Driver Dr27C7 | Dr27C7 |
| 23-225 | A | C I Brake Block for 22E Truck pony Dr27C7 | Dr27C7 |
| 23-227 | A | Brake hanger spring Dr27C7 | Dr27C7 |
| 23-228 | A | Diagram - operating positions valve handle (West. Brakes) Dr27C7 | Dr27C7 |
| 23-229 | A | proposed band brake 39E truck Dr27C7 | Dr27C7 |
| 23-230 | A | NSWGRT 27ins Electric car wheel C I Centre Dr27C7 | Dr27C7 |
| 23-231 | A | 28ins solid Wheel Dr27C7 | Dr27C7 |
| 23-232 | A | Hoffman design for tramway axle box Dr27C7 | Dr27C7 |
| 23-233 | A | Brown Boveri Gear Wheel on Axle - 64 seat car Dr27C7 | Dr27C7 |
| 23-234 | A | Proposed pony wheel centre Dr27C7 | Dr27C7 |
| 23-235 | A | Standard Ponywheel centre (Vickers - com. steel) Dr27C7 | Dr27C7 |
| 23-251 | A | 33ins main tire melbourne Tramways Dr27C7 | Dr27C7 |
| 23-252 | A | Diagram - average section of rails Dr27C7 | Dr27C7 |
| 23-253 | A | British Standard Tramway wheel tyre Dr27C7 | Dr27C7 |
| 23-254 | A | Diagram - Average section rails - prop tyre Dr27C7 | Dr27C7 |
| 23-255 | A | experimental car wheel tyre Dr27C7 | Dr27C7 |
| 23-256 | A | experimental car wheel tyre Dr27C7 | Dr27C7 |
| 23-257 | A | outline of tyre melbourne Tramways Dr27C7 | Dr27C7 |
| 23-258 | A | 33ins resilient wheel - type 0 (National Malleable) Dr27C7 | Dr27C7 |
| 23-259 | A | trailer axle for 27G truck Dr27C7 | Dr27C7 |
| 23-260 | A | PerichAm Truck Axle - GE 800 motor Dr23C1 | Dr23C1 |
| 23-261 | A | pony axle for 22E 39E 62E trucks Dr27C7 | Dr27C7 |
| 23-262 | A | 39E truck axle for DK 83 motor Dr27C7 | Dr27C7 |
| 23-263 | A | 39E truck axle for GE 202 motor Dr27C7 | Dr27C7 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 23-267 | A | GE80 motor axle bearing Part A Dr27C7 | Dr27C7 |
| 23-267 | A | GE80 motor axle bearing Part B Dr27C7 | Dr27C7 |
| 23-267 | A | GE80 motor axle bearing stitch Dr27C7 | Dr27C7 |
| 23-268 | A | resilient wheel assembly Dr27C7 | Dr27C7 |
| 23-274 | A | peckham truck axle for GE 800 motor Part A Dr27C7 | Dr27C7 |
| 23-274 | A | peckham truck axle for GE 800 motor Part B Dr27C7 | Dr27C7 |
| 23-274 | A | peckham truck axle for GE 800 motor stitch Dr27C7 | Dr27C7 |
| 23-275 | A | BTT Car 100 outside axle Part A Dr27C7 | Dr27C7 |
| 23-275 | A | BTT Car 100 outside axle Part B Dr27C7 | Dr27C7 |
| 23-275 | A | BTT Car 100 outside axle stitch Dr27C7 | Dr27C7 |
| 23-276 | A | BTT Car 100 inside axle Part A Dr27C7 | Dr27C7 |
| 23-276 | A | BTT Car 100 inside axle Part B Dr27C7 | Dr27C7 |
| 23-276 | A | BTT Car 100 inside axle stitch Dr27C7 | Dr27C7 |
| 23-277 | A | trailer axle for 27G truck Part A Dr27C7 | Dr27C7 |
| 23-277 | A | trailer axle for 27G truck Part B Dr27C7 | Dr27C7 |
| 23-277 | A | trailer axle for 27G truck stitch Dr27C7 | Dr27C7 |
| 23-278 | A | Pony axle for 39E 22E & 62E Truck Part A Dr27C7 | Dr27C7 |
| 23-278 | A | Pony axle for 39E 22E & 62E Truck Part B Dr27C7 | Dr27C7 |
| 23-278 | A | Pony axle for 39E 22E & 62E Truck stitch Dr27C7 | Dr27C7 |
| 23-279 | A | 39E truck axle for GE 202 motor Part A Dr27C7 | Dr27C7 |
| 23-279 | A | 39E truck axle for GE 202 motor Part B Dr27C7 | Dr27C7 |
| 23-279 | A | 39E truck axle for GE 202 motor stitch Dr27C7 | Dr27C7 |
| 23-280 | A | 39E truck axle for DK 83 motor Part A Dr27C7 | Dr27C7 |
| 23-280 | A | 39E truck axle for DK 83 motor Part B Dr27C7 | Dr27C7 |
| 23-280 | A | 39E truck axle for DK 83 motor stitch Dr27C7 | Dr27C7 |
| 23-281 | A | 21E truck spring washer plate Dr27C7 | Dr27C7 |
| 23-287 | A | Spring for 39E truck Dr27C7 | Dr27C7 |
| 23-288 | A | Spring for 39E1 truck Dr27C7 | Dr27C7 |
| 23-291 | A | Spring for truck of car 100 Dr27C7 | Dr27C7 |
| 23-292 | A | Spring for Peckham truck Dr27C7 | Dr27C7 |
| 23-293 | A | Spring for 27G truck Dr27C7 | Dr27C7 |
| 23-295 | A | Welded truck axle Dr27C7 | Dr27C7 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 23-296 | A | BTT Bolster spring small for 39E1 truck Dr27C7 | Dr27C7 |
| 23-296 | A | bolster spring small for 39E1 truck BTT Dr27C8 | Dr27C8 |
| 23-297 | A | BTT Axle box spring small for 21E 39E and 39E1 trucks Dr27C7 | Dr27C7 |
| 23-297 | A | Axle box spring small for 21E 39E & 39E1 trucks BTT Dr27C8 | Dr27C8 |
| 23-298 | A | BTT semi elliptic spring cap Dr27C7 | Dr27C7 |
| 23-299 | A | BTT 39E1 truck sketck of axle box assembly Dr27C7 | Dr27C7 |
| 23-299 | A | Axle box assembly 39E1 trucks BTT Dr27C8 | Dr27C8 |
| 23-301 | A | BTT 39E1 truck main axle box spring Dr27C7 | Dr27C7 |
| 23-301 | A | Main Axle box spring 39E1 trucks BTT Dr27C8 | Dr27C8 |
| 23-302 | A | BTT 39E1 truck driving axle box liner Dr27C7 | Dr27C7 |
| 23-302 | A | Driving Axle box liner 39E1 trucks BTT Dr27C8 | Dr27C8 |
| 23-303 | A | BTT 39E1 truck pony axle box liner Dr27C7 | Dr27C7 |
| 23-303 | A | Pony Axle box liner 39E1 trucks BTT Dr27C8 | Dr27C8 |
| 23-304 | A | BTT Dust collar for 39E1 driving axle Dr27C7 | Dr27C7 |
| 23-304 | A | Dust collar 39E1 truck driving axle BTT Dr27C8 | Dr27C8 |
| 23-305 | A | BTT 39E1 truck king pin Dr27C7 | Dr27C7 |
| 23-305 | A | King pin 39E1 truck BTT Dr27C8 | Dr27C8 |
| 23-306 | A | BTT Bolster spring large for 39E1 truck Dr27C7 | Dr27C7 |
| 23-306 | A | Bolster spring large for 39E1 truck BTT Dr27C8 | Dr27C8 |
| 23-307 | A | BTT motor suspension spring top for 39E1 truck Dr27C7 | Dr27C7 |
| 23-307 | A | Motor suspensionr spring top for 39E1 truck BTT Dr27C8 | Dr27C8 |
| 23-309 | A | BTT peckham truck axle box spring Dr27C7 | Dr27C7 |
| 23-310 | A | Main axle box spring for 27G truck Dr27C7 | Dr27C7 |
| 23-317 | A | Brisbane Tramways outline trolley base Dr27C7 | Dr27C7 |
| 23-318 | A | Trolley wheel axle BTT Dr27C7 | Dr27C7 |
| 23-319 | A | BTT Screen for destination signs Part A Dr27C7 | Dr27C7 |
| 23-319 | A | BTT Screen for destination signs Part B Dr27C7 | Dr27C7 |
| 23-319 | A | BTT Screen for destination signs stitch Dr27C7 | Dr27C7 |
| 23-320 | A | Handle on seat backs - Centre Aisle car Part A Dr27C7 | Dr27C7 |
| 23-320 | A | Handle on seat backs - Centre Aisle car Part B Dr27C7 | Dr27C7 |
| 23-320 | A | Handle on seat backs - Centre Aisle car stitch Dr27C7 | Dr27C7 |
| 23-321 | A | 6ins OHIO brass trolley wheel general arrangement Part A Dr27C7 | Dr27C7 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 23-321 | A | 6ins OHIO brass trolley wheel general arrangement Part B Dr27C7 | Dr27C7 |
| 23-321 | A | 6ins OHIO brass trolley wheel general arrangement stitch Dr27C7 | Dr27C7 |
| 23-322 | A | REX all metal spring blind roller for tram cars Dr27C7 | Dr27C7 |
| 23-323 | A | list of abbreviation of names for destination sign screens Dr27C7 | Dr27C7 |
| 23-324 | A | Arrangement of Trolley Wheel Dr27C7 | Dr27C7 |
| 23-325 | A | Harp for standard 4ins trolley wheel BCC Dr27C7 | Dr27C7 |
| 23-327 | A | Specimens of advertising frame and clips BTT Dr27C7 | Dr27C7 |
| 23-328 | A | Advertising Space on car ends (Misc. Cars) BTT Dr27C7 | Dr27C7 |
| 23-329 | A | Advertising Space on car ends (Misc. Cars) BTT Dr27C7 | Dr27C7 |
| 23-330 | A | Sizes of Windscreen glass - D.C. & Centre Aisle Part A Dr27C7 | Dr27C7 |
| 23-330 | A | Sizes of Windscreen glass - D.C. & Centre Aisle Part B Dr27C7 | Dr27C7 |
| 23-330 | A | Sizes of Windscreen glass - D.C. & Centre Aisle stitch Dr27C7 | Dr27C7 |
| 23-331 | A | Collapsible Headlight screen Dr60C1 | Dr60C1 |
| 23-331 | A | Collapsible Headlight screenr Dr60C1 | Dr60C1 |
| 23-331 | A | Collapsible head light screen Dr27C7 | Dr27C7 |
| 23-332 | A | Window glass dimensions - Centre Aisle car Dr27C7 | Dr27C7 |
| 23-333 | A | GE type US 28A trolley base centres Dr27C7 | Dr27C7 |
| 23-334 | A | Built up trolley pole experimental Dr27C7 | Dr27C7 |
| 23-335 | A | 6ins trolley wheel melbourne type Dr27C7 | Dr27C7 |
| 23-336 | A | 6ins OHIO brass trolley wheel Dr27C7 | Dr27C7 |
| 23-337 | A | Proposed trolley wheel (non standard) Dr27C7 | Dr27C7 |
| 23-338 | A | 6ins trolley harp Melbourne type Dr27C7 | Dr27C7 |
| 23-339 | A | 4ins Brass Trolley wheel - Standard Type Dr27C7 | Dr27C7 |
| 23-341 | A | Brass & Bakelite Handles Part A Dr27C7 | Dr27C7 |
| 23-341 | A | Brass & Bakelite Handles Part B Dr27C7 | Dr27C7 |
| 23-341 | A | Brass & Bakelite Handles stitch Dr27C7 | Dr27C7 |
| 23-378 | A | Trewhella track jack for tram cars Dr23C1 | Dr23C1 |
| 23-831 | A | Small Centre Aisle light wiring diagram Dr62C1 | Dr62C1 |
| 24-135 | A | front and rear axles- details Dr45C1 | Dr45C1 |
| 24-136 | A | Trailer and boby wheel- details Dr45C1 | Dr45C1 |
| 24-70 | A | Grinder Car No. -14 Arrangement of new body Dr62C1 | Dr62C1 |
| 24-92 | A | Tramcar rail lubrication proposal Dr55C1 | Dr55C1 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|--|--------|
| 24-93 | A | Proposed method of Tramcar rail curve lubrication Dr55C1 | Dr55C1 |
| 26-54 | A | Diagram of location of lifting jacks - tramcars Dr62C1 | Dr62C1 |
| 26-54 | A | Diagram of location of lifting jacks - tramcars Part A Dr27C5 | Dr27C5 |
| 26-54 | A | Diagram of location of lifting jacks - tramcars Part A Dr27C7 | Dr27C7 |
| 26-54 | A | Diagram of location of lifting jacks - tramcars Part B Dr27C7 | Dr27C7 |
| 26-54 | A | Diagram of location of lifting jacks - tramcars Stitch Dr27C7 | Dr27C7 |
| 27-1054 | A | Standard Designation - Tramcars Dr27C2 | Dr27C2 |
| 27-1054 | A | Standard Designation - Tramcars Dr27C2 | Dr27C2 |
| 27-1080 | A | Tram Destination signs - ends Dr27C2 | Dr27C2 |
| 27-1081 | A | Tram Destination signs - side Dr27C2 | Dr27C2 |
| 27-1095 | A | Run number folders for tramcars Dr27C2 | Dr27C2 |
| 27-1096 | A | Locating jig for run number holders - trams Dr27C2 | Dr27C2 |
| 27-1224 | A | Melbourne block to pattern No 3658 Dr27C2 | Dr27C2 |
| 27-1297 | A | Trolleyweel - Tungsten carbide form tool Bromet Grade CK Dr27C2 | Dr27C2 |
| 27-152 | A | Lubricating pad for tram axles Dr27C1 | Dr27C1 |
| 27-203 | A | Folder for run numbers on tramcars Dr27C1 | Dr27C1 |
| 27-235 | A | Reamer for pinion bearing tram compressors Dr27C7 | Dr27C7 |
| 27-302 | A | Graphs showing tram and bus traffic population and vehicle registration Dr23C1 | Dr23C1 |
| 27-634 | B | Specification for cast iron brake blocks Dr27C1 | Dr27C1 |
| 27-877 | A | Murian Meatal - gals tramcar Dr27C2 | Dr27C2 |
| 27-885 | A | Trolley pole swivel Dr27C2 | Dr27C2 |
| 27-951 | C | D.C. & C.I. Cars- Technical Data Dr27C5 | Dr27C5 |
| 35-100 | A | Alterations to 10 bench car Dr39C1 | Dr39C1 |
| 35-102 | A | Peckham 800 Truck - Band brake Dr39C1 | Dr39C1 |
| 35-103 | A | Peckham 800 Truck - Band brake Dr39C1 | Dr39C1 |
| 35-104 | A | Peckham 800 Truck - Band brake Dr39C1 | Dr39C1 |
| 35-105 | A | Peckham 800 Truck - Band brake Dr39C1 | Dr39C1 |
| 35-106 | A | Peckham 800 Truck - Band brake Dr39C1 | Dr39C1 |
| 35-107 | A | Peckham 800 Truck - Band brake Dr39C1 | Dr39C1 |
| 35-108 | A | 21E Truck - Arrangement Toocam Brakes Dr39C2 | Dr39C2 |
| 35-108 | A | 21E Truck - Arrangement Toocam Brakes Dr62C1 | Dr62C1 |
| 35-108 | A | 21E Truck - Arrangement Too cam Brakes Dr39C2 | Dr39C2 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|--|--------|
| 35-109 | A | 39E1 truck- Side frame Dr39C1 | Dr39C1 |
| 35-110 | A | 39E1 truck - Details Dr39C1 | Dr39C1 |
| 35-111 | A | 39E1 truck - Bolster suspension links Dr45C1 | Dr45C1 |
| 35-111 | A | 39E1 truck - Bolster suspension links Dr39C1 | Dr39C1 |
| 35-112 | A | 39E1 truck - Elec. welded steel bolster Dr45C1 | Dr45C1 |
| 35-112 | A | 39E1 truck - Elec. welded steel bolster Dr39C1 | Dr39C1 |
| 35-113 | A | 39E1 truck - M.S. Forging - side frame Dr39C1 | Dr39C1 |
| 35-114 | A | 39E1 Truck - General arrangement Dr45C1 | Dr45C1 |
| 35-115 | A | 39E1 truck - general arrangement Dr39C1 | Dr39C1 |
| 35-116 | A | PCC type wheel - Maley & Taunton trucks Dr39C1 | Dr39C1 |
| 35-117 | A | PCC type wheel - rubber sandwich Dr39C1 | Dr39C1 |
| 35-118 | A | Melbourne 28 solid wheel Dr39C1 | Dr39C1 |
| 35-124 | A | 10 Bench Car - C.I. hand rail bracket Dr39C1 | Dr39C1 |
| 35-127 | A | Sprinkler Car - Rail Groove Cleaner Dr39C1 | Dr39C1 |
| 35-128 | A | Standard Signal bell - details Dr45C1 | Dr45C1 |
| 35-128 | A | Standard Signal bell - details BP Dr45C1 | Dr45C1 |
| 35-128 | A | Standard Signal bell - details Dr39C1 | Dr39C1 |
| 35-129 | A | Car 205 - Rail groove cleaner Dr39C1 | Dr39C1 |
| 35-130 | A | Rail groove cleaner - Arrgt lifting gear Dr39C1 | Dr39C1 |
| 35-132 | A | Rail groove cleaner - lifting gear details Dr39C1 | Dr39C1 |
| 35-133 | A | 6 Ohio Brass Trolleywheel - details BP Dr39C1 | Dr39C1 |
| 35-133 | A | 6 Ohio Brass Trolleywheel - details Dr39C1 | Dr39C1 |
| 35-134 | A | 6 Ohio Brass trolleywheel - arrangement BP Dr39C1 | Dr39C1 |
| 35-134 | A | 6 Ohio Brass trolleywheel - arrangement Dr39C1 | Dr39C1 |
| 35-135 | A | 4 Roller Bearing - Trolleywheel Dr39C1 | Dr39C1 |
| 35-137 | A | Tramcar Lifting Jack Dr39C1 | Dr39C1 |
| 35-138 | A | Trolley base - details of forgings Dr39C1 | Dr39C1 |
| 35-139 | A | R & R1 type cars - side door canvas details Dr39C1 | Dr39C1 |
| 35-156 | A | Type E relay valve - solid piston Dr39C1 | Dr39C1 |
| 35-157 | A | Air brake reservoir Dr39C1 | Dr39C1 |
| 35-158 | A | ES16 Air compressor Dr39C1 | Dr39C1 |
| 35-159 | A | Type E relay valve - solid piston Dr39C1 | Dr39C1 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|--|--------|
| 35-160 | A | Westinghouse brake cylinder Dr39C1 | Dr39C1 |
| 35-161 | A | Westinghouse brake cylinder Dr39C1 | Dr39C1 |
| 35-163 | A | Westinghouse Air reservoir for brakes for DC and FM Dr39C1 | Dr39C1 |
| 35-164 | A | Westinghouse DH16 compressor for FM cars Dr39C1 | Dr39C1 |
| 35-262 | A | Detail of Pneumatic jack for lifting car whells and axles Dr45C1 | Dr45C1 |
| 35-263 | A | Detail of Pneumatic jack for lifting car whells and axles Dr45C1 | Dr45C1 |
| 35-264 | A | Pneumatic jack for lifting car whells and axles Dr45C1 | Dr45C1 |
| 35-77 | A | Hand brake gear - details - winding gear for DC & FM PART A Dr39C1 | Dr39C1 |
| 35-77 | A | Hand brake gear - details - winding gear for DC & FM PART B Dr39C1 | Dr39C1 |
| 35-90 | A | General arrangement composite car Dr61C1 | Dr61C1 |
| 35-90 | A | General arrangement composite car Dr62C1 | Dr62C1 |
| 35-91 | A | Standard combination car Part A Dr59C1 | Dr59C1 |
| 35-91 | A | Standard combination car Part B Dr59C1 | Dr59C1 |
| 35-91 | A | Standard combination car Dr62C1 | Dr62C1 |
| 35-91 | A | Standard combination car Part A Dr59C1 | Dr59C1 |
| 35-91 | A | Standard combination car Part B Dr59C1 | Dr59C1 |
| 35-91 | A | Standard combination car stitch Dr59C1 | Dr59C1 |
| 35-91 | A | Standard combination car stitch Dr59C1 | Dr59C1 |
| 35-93 | A | Outline diagrams of tramcars (see also 63-25) Dr39C1 | Dr39C1 |
| 35-94 | A | Diagram - all cars - jacking points BP Dr62C1 | Dr62C1 |
| 35-94 | A | Diagram - all cars - jacking points Dr62C1 | Dr62C1 |
| 35-94 | A | Diagram - all cars - jacking points Plan 2 Dr62C1 | Dr62C1 |
| 35-94 | A | Diagram - all cars - jacking points Plan 3 Dr62C1 | Dr62C1 |
| 35-95 | A | Centre aisle car Dr62C1 | Dr62C1 |
| 35-98 | A | Body bolster - Centre aisle - 1 man car 39E-39E1 trucks Dr39C1 | Dr39C1 |
| 35-99 | A | Body bolster - centre aisle one man car welded trucks Dr39C1 | Dr39C1 |
| 36-100 | A | 39E1 truck - Details Plan Dr62C1 | Dr62C1 |
| 36-100 | A | 39E1 truck - Details Part A Dr62C1 | Dr62C1 |
| 36-100 | A | 39E1 truck - Details Part B Dr62C1 | Dr62C1 |
| 36-100 | A | 39E1 truck - Details Dr26C1 | Dr26C1 |
| 36-101 | A | Driving wheel axle box - 39E, 39E1, 22E, 22E1 & 27G Dr62C1 | Dr62C1 |
| 36-101 | A | Driving wheel axle box - 39E, 39E1, 22E, 22E1 & 27G Part A Dr62C1 | Dr62C1 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 36-101 | A | Driving wheel axle box - 39E, 39E1, 22E, 22E1 & 27G Part B Dr62C1 | Dr62C1 |
| 36-101 | A | Driving wheel axle box - 39E, 39E1, 22E, 22E1 & 27G Dr62C1 | Dr62C1 |
| 36-101 | A | Driving wheel axle box - 39E, 39E1, 22E, 220 & 27G Dr62C1 | Dr62C1 |
| 36-102 | A | Pony axle box - B256 for 39E1 trucks Part A Dr62C1 | Dr62C1 |
| 36-102 | A | Pony axle box - B256 for 39E1 trucks Part B Dr62C1 | Dr62C1 |
| 36-102 | A | Pony axle box - B256 for 39E1 trucks Dr62C1 | Dr62C1 |
| 36-102 | A | Pony axle box - B256 for 39E1 trucks Dr26C1 | Dr26C1 |
| 36-103 | A | BTT Destination Box Dr45C1 | Dr45C1 |
| 36-86 | A | Small centre aisle car- converted from 10 bench Dr62C1 | Dr62C1 |
| 36-89 | A | Brisbane One man tram Dr62C1 | Dr62C1 |
| 36-89 | B | Brisbane One man tram Dr62C1 | Dr62C1 |
| 36-90 | A | Advertising tram Dr62C1 | Dr62C1 |
| 36-91 | A | Diagram of 12 bench car Dr62C1 | Dr62C1 |
| 36-93 | A | Small centre aisle car (converted 10 bench car) Dr62C1 | Dr62C1 |
| 36-93 | A | Small centre aisle car (converted 10 bench car) Dr61C1 | Dr61C1 |
| 36-93 | A | Small centre aisle car (converted 10 bench car) Part A Dr61C1 | Dr61C1 |
| 36-93 | A | Small centre aisle car (converted 10 bench car) Part B Dr61C1 | Dr61C1 |
| 36-93 | A | Small Centre Aisle General Arrangement Dr62C1 | Dr62C1 |
| 36-94 | A | Light 12 bench car Dr60C1 | Dr60C1 |
| 36-94 | A | General arrangement light 12 bench Dr62C1 | Dr62C1 |
| 36-94 | A | General arrangement light 12 bench P2 Dr62C1 | Dr62C1 |
| 36-99 | A | 39E1 truck - Assembly Part A Dr62C1 | Dr62C1 |
| 36-99 | A | 39E1 truck - Assembly Part B Dr62C1 | Dr62C1 |
| 36-99 | A | 39E1 truck - Assembly Dr62C1 | Dr62C1 |
| 37-100 | A | Maley & Taunton truck - type HS44 Dr40C4 | Dr40C4 |
| 37-1000 | A | Fischer Bow on various cars 45' curve Part A Dr39C2 | Dr39C2 |
| 37-1000 | A | Fischer Bow on various cars 45' curve Part B Dr39C2 | Dr39C2 |
| 37-1001 | A | Seating Arrangements - Foreign tramcars Dr39C2 | Dr39C2 |
| 37-1002 | A | Dimensions Tramcar Bus & Trolleybus Dr39C2 | Dr39C2 |
| 37-1003 | A | Seating Arrangements - Tramcar Bus & Trolleybus Dr39C2 | Dr39C2 |
| 37-1005 | A | C.I. car on 39E trucks - on curve 45,50,60,75,100 Dr39C2 | Dr39C2 |
| 37-1008 | A | Overhang 45 Radius curve - various cars Dr39C1 | Dr39C1 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|--|--------|
| 37-102 | A | Davis steel wheel Dr40C4 | Dr40C4 |
| 37-103 | A | MMTB - Windscreen Wiper Dr40C4 | Dr40C4 |
| 37-104 | A | Section through rubber banded spring Dr40C4 | Dr40C4 |
| 37-105 | A | BTT 10 bench & Converted trailer - Spring Blind Roller Dr40C4 | Dr40C4 |
| 37-106 | A | Standard Signal bell BP Dr40C4 | Dr40C4 |
| 37-106 | A | Standard Signal bell Dr40C4 | Dr40C4 |
| 37-107 | A | BTC Standard headlight reflector Dr40C4 | Dr40C4 |
| 37-108 | A | Adv signs & Fittings - car dash plates Dr40C4 | Dr40C4 |
| 37-108 | A | Adv signs & Fittings - car dash plates BP Dr40C4 | Dr40C4 |
| 37-110 | A | SKF Ball bearing trolley wheel Dr40C4 | Dr40C4 |
| 37-111 | A | Fischer Bow collector - fixing details Dr40C4 | Dr40C4 |
| 37-112 | A | Fischer Bow - original balance weight Dr40C4 | Dr40C4 |
| 37-22 | A | Clearance diagram - FM & DC cars Cnr Wickham & Brunswick Sts Dr39C2 | Dr39C2 |
| 37-223 | A | GE 275 motor - Outline Dr54C1 | Dr54C1 |
| 37-23 | A | Clearance diagram - FM & DC cars Car George & Adelaide Street Dr39C2 | Dr39C2 |
| 37-337 | A | Rail grinding car No. 15 - Air & Water pipes Dr62C1 | Dr62C1 |
| 37-337 | A | Diagram of water pipes Rail Grinding Car No 15 Dr34C1 | Dr34C1 |
| 37-512 | A | Proposed SKF ball bearing trolley wheel Dr40C4 | Dr40C4 |
| 37-86 | A | Small centre aisle car- converted from 10 bench Dr40C3 | Dr40C3 |
| 37-88 | A | Stepless car number 301 Dr40C3 | Dr40C3 |
| 37-90 | A | Sydney R1 type - brake diagram Dr40C3 | Dr40C3 |
| 37-91 | A | 21E truck - proposed arrg't band brakes & Gear Dr62C1 | Dr62C1 |
| 37-92 | A | 27G Truck - Diagram of brake gear Dr40C3 | Dr40C3 |
| 37-93 | A | 39E1 Truck - Brake details Dr40C3 | Dr40C3 |
| 37-94 | A | 21E truck - Top chord Dr40C3 | Dr40C3 |
| 37-94 | A | 21E truck - Top chord Dr40C3 | Dr40C3 |
| 37-96 | A | 21E truck - BTT Truss pipe bracket Dr40C3 | Dr40C3 |
| 37-96 | A | 21E truck - Truss side bracket Dr40C3 | Dr40C3 |
| 37-98 | A | Comparison - Davis & Brisbane tram wheel type A Dr40C3 | Dr40C3 |
| 37-98 | A | Comparison - Davis & Brisbane tram wheel type A Part A BP Dr40C3 | Dr40C3 |
| 37-98 | A | Comparison - Davis & Brisbane tram wheel type A Part B BP Dr40C3 | Dr40C3 |
| 37-98 | A | Comparison - Davis & Brisbane tram wheel type A stitch BP Dr40C3 | Dr40C3 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 37-99 | A | Armstrong lubricator - driving wheel axles Dr40C3 | Dr40C3 |
| 39-168 | A | Rail Grinding car - Arrangement of grinding gear Dr39C2 | Dr39C2 |
| 39-175 | A | Rail Grinding car - Operating gear layout BW Dr39C2 | Dr39C2 |
| 39-175 | A | Rail Grinding car - Operating gear layout Dr39C2 | Dr39C2 |
| 39-49 | A | Elevation and details of armature shaft for GE 275 tramcar motor Dr45C1 | Dr45C1 |
| 40-550 | A | Alterations to advertising tram128 Dr40C1 | Dr40C1 |
| 40-564 | A | Unistrut trolley wheel with bronze bush Dr45C1 | Dr45C1 |
| 41-128 | A | Harp for tramcar trolley pole Dr39C2 | Dr39C2 |
| 41-240 | A | Arrangement drawings of wheel and axle sets Dr39C2 | Dr39C2 |
| 41-299 | B | Route number brackets & plates for DC and FM Dr39C2 | Dr39C2 |
| 42-183 | C | Harp for trolley pole see also 41-128 1953 Dr39C2 | Dr39C2 |
| 42-258 | A | Tram destination blind - front Dr39C2 | Dr39C2 |
| 42-258 | A | Tram destination blind - front Part D Dr39C2 | Dr39C2 |
| 42-280 | A | Centre brake shoe holder No15 truck- conversion from MMTB Dr39C2 | Dr39C2 |
| 42-280 | A | Centre brake shoe holder No15 truck- conversion from MMTB Part A Dr39C2 | Dr39C2 |
| 42-280 | A | Centre brake shoe holder No15 truck- conversion from MMTB Part B Dr39C2 | Dr39C2 |
| 42-280 | A | Centre brake shoe holder No15 truck- conversion from MMTB Strich Dr39C2 | Dr39C2 |
| 42-40 | A | Transfers tram interior Dr39C2 | Dr39C2 |
| 60-1003 | A | NSW 50 seat combo - Shaft for track brake Dr27C5 | Dr27C5 |
| 60-1003 | A | NSW 50 seat combo - Shaft for track brake BP Dr27C5 | Dr27C5 |
| 60-1004 | A | NSW 50 seat combo - Track brake details BP Dr27C5 | Dr27C5 |
| 60-1004 | A | NSW 50 seat combo - Track brake details Dr27C5 | Dr27C5 |
| 60-1005 | A | NSW 4 wheel No 1 Truck - brake lever Dr27C5 | Dr27C5 |
| 60-1005 | A | NSW 4 wheel No 1 Truck - brake lever BP Dr27C5 | Dr27C5 |
| 60-1006 | A | NSW 50 seat combo - Sheave anchor bracket BP Dr27C5 | Dr27C5 |
| 60-1006 | A | NSW 50 seat combo - Sheave anchor bracket Dr27C5 | Dr27C5 |
| 60-1007 | A | NSW 4 wheel car - Track brake adjusting screws etc Dr27C5 | Dr27C5 |
| 60-1007 | A | NSW 4 wheel car - Track brake adjusting screws etc BP Dr27C5 | Dr27C5 |
| 60-1008 | A | NSW Combined handtrack brake - upper gears Dr27C5 | Dr27C5 |
| 60-1008 | A | NSW Combined handtrack brake - upper gears BP Dr27C5 | Dr27C5 |
| 60-1009 | A | NSW 50 seat combo - handtrack brake - chain Dr27C5 | Dr27C5 |
| 60-1009 | A | NSW 50 seat combo - handtrack brake - chain BP Dr27C5 | Dr27C5 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|---|--------|
| 60-1011 | A | Sydney R Class - Side view - Perspective Dr27C5 | Dr27C5 |
| 60-1011 | A | Sydney R Class - Side view - Perspective part A Dr27C5 | Dr27C5 |
| 60-1011 | A | Sydney R Class - Side view - Perspective Part B Dr27C5 | Dr27C5 |
| 60-1011 | A | Sydney R Class - Side view - Perspective stitch Dr27C5 | Dr27C5 |
| 60-1012 | A | Standard driving wheel - centre & Tyre Type A BP Dr27C5 | Dr27C5 |
| 60-1012 | A | Standard driving wheel - centre & Tyre Type A Dr27C5 | Dr27C5 |
| 60-1014 | A | 10 bench car - proposed seating 24 passengers Dr27C5 | Dr27C5 |
| 60-1015 | A | 10 bench car - proposed seating 22 passengers Dr27C5 | Dr27C5 |
| 60-1016 | A | 10 bench car - proposed seating 28 passengers Dr27C5 | Dr27C5 |
| 60-1017 | A | 10 bench car - proposed seating 24 passengers Dr27C5 | Dr27C5 |
| 60-1018 | A | loaded car weights on axles in service BTT BP Dr27C5 | Dr27C5 |
| 60-1018 | A | loaded car weights on axles in service BTT Dr27C5 | Dr27C5 |
| 60-1019 | A | 4ins trolley wheel BTT Dr27C5 | Dr27C5 |
| 60-33 | A | Melbourne 28 solid wheel BP Dr27C5 | Dr27C5 |
| 60-33 | A | Melbourne 28ins solid wheel Dr27C5 | Dr27C5 |
| 60-34 | A | Melbourne No. 9 truck - King pin BP Dr27C5 | Dr27C5 |
| 60-34 | A | Melbourne No. 9 truck - King pin Dr27C5 | Dr27C5 |
| 60-35 | A | Melbourne W3, W4 & W5 - Bolster side bearings BP Dr27C5 | Dr27C5 |
| 60-35 | A | Melbourne W3, W4 & W5 - Bolster side bearings Dr27C5 | Dr27C5 |
| 60-37 | D | Sydney R car - bolster centre plate BP Dr27C5 | Dr27C5 |
| 60-37 | D | Sydney R car - bolster centre plate Dr27C5 | Dr27C5 |
| 60-455 | A | 31ins standard wheel - centre & tyres BP Dr55C1 | Dr55C1 |
| 60-455 | A | 31ins standard wheel - centre & tyres Dr55C1 | Dr55C1 |
| 60-456 | A | Sydney R car - Drivers platform - sill details BP part A Dr27C5 | Dr27C5 |
| 60-456 | A | Sydney R car - Drivers platform - sill details BP part B Dr27C5 | Dr27C5 |
| 60-456 | A | Sydney R car - Drivers platform - sill details part A Dr27C5 | Dr27C5 |
| 60-456 | A | Sydney R car - Drivers platform - sill details part B Dr27C5 | Dr27C5 |
| 60-456 | A | Sydney R car - Drivers platform - sill details stitch Dr27C5 | Dr27C5 |
| 60-457 | A | SKF ball bearing - trolley wheel Dr40C2 | Dr40C2 |
| 60-458 | A | MMTB windscreen wiper BP Dr40C2 | Dr40C2 |
| 60-458 | A | MMTB windscreen wiper Dr40C2 | Dr40C2 |
| 60-459 | A | MMTB W class windscreen wiper BP Dr40C2 | Dr40C2 |

| Plan No | Series | Drawing Name | Draw |
|---------|--------|--|--------|
| 60-459 | A | MMTB W class windscreen wiper Dr40C2 | Dr40C2 |
| 60-460 | A | 22E1 truck - cast steel brake shoe BP Dr40C2 | Dr40C2 |
| 60-460 | A | 22E1 truck - cast steel brake shoe Dr40C2 | Dr40C2 |
| 60-461 | A | Davis 31 3-4ins steel wheel Dr40C2 | Dr40C2 |
| 60-51 | A | Sydney 50 seat car - brake diagram BP Dr27C5 | Dr27C5 |
| 60-51 | A | Sydney 50 seat car - brake diagram Dr27C5 | Dr27C5 |
| 60-52 | A | Sydney Rail grinding car - air connections BP Dr27C5 | Dr27C5 |
| 60-52 | A | Sydney Rail grinding car - air connections Dr27C5 | Dr27C5 |
| 60-53 | B | NSW Sand gear - drain trap Dr27C5 | Dr27C5 |
| 60-53 | B | NSW Sand gear - drain trap BP Dr27C5 | Dr27C5 |
| 60-53 | B | NSW Sand gear - drain trap Dr27C5 | Dr27C5 |
| 60-54 | A | NSW P class - Sand gear trap BP Dr27C5 | Dr27C5 |
| 60-54 | A | NSW P class - Sand gear trap Dr27C5 | Dr27C5 |
| 60-55 | A | 4 - 4 1-2ins Driving axle - thrust collar type NSW BP Dr27C5 | Dr27C5 |
| 60-55 | A | 4 - 4 1-2ins Driving axle - thrust collar type NSW Dr27C5 | Dr27C5 |
| 60-56 | A | MMTB W3 car - Guide strips for pillars BP Dr27C5 | Dr27C5 |
| 60-56 | A | MMTB W3 car - Guide strips for pillars Dr27C5 | Dr27C5 |
| 60-57 | A | MMTB 6 inch trolley harp BP Dr27C5 | Dr27C5 |
| 60-57 | A | MMTB 6 inch trolley harp Dr27C5 | Dr27C5 |
| 60-58 | A | MMTB 6 ins trolley wheel BP Dr27C5 | Dr27C5 |
| 60-58 | A | MMTB 6 ins trolley wheel Dr27C5 | Dr27C5 |
| 60-59 | A | MMTB W5 class - pull rod guide Dr27C5 | Dr27C5 |
| 60-59 | A | MMTB W5 class - pull rod guide BP Dr27C5 | Dr27C5 |
| 60-60 | A | MMTB Class W5 car drivers cab BP Dr27C5 | Dr27C5 |
| 60-60 | A | MMTB Class W5 car drivers cab Dr27C5 | Dr27C5 |
| 60-61 | A | MMTB Class W5 car blind Guide Strips BP Dr27C5 | Dr27C5 |
| 60-61 | A | MMTB Class W5 car blind Guide Strips Dr27C5 | Dr27C5 |
| 60-62 | A | MMTB Saloon Door Anti Rattler BP Dr27C5 | Dr27C5 |
| 60-62 | A | MMTB Saloon Door Anti Rattler Dr27C5 | Dr27C5 |
| 60-63 | A | MMTB Sallon Door Anti Rattler roller BP Dr27C5 | Dr27C5 |
| 60-63 | A | MMTB Sallon Door Anti Rattler roller Dr27C5 | Dr27C5 |
| 60-64 | A | MMTB W class - trolley base spring Dr27C5 | Dr27C5 |

| Plan No | Series | Drawing Name | Draw |
|----------|--------|--|--------|
| 60-64 | A | MMTB W class - trolley base spring BP Dr27C5 | Dr27C5 |
| 60-65 | B | NSW R1 car - Steel Framing - Lifting Bolster Dr27C5 | Dr27C5 |
| 60-65 | B | NSW R1 car - Steel Framing - Lifting Bolster BP Dr27C5 | Dr27C5 |
| 60-66 | B | NSW RI car - Drivers platform - Steel details Dr27C5 | Dr27C5 |
| 60-66 | B | NSW RI car - Drivers platform - Steel details BP Dr27C5 | Dr27C5 |
| 60-68 | A | Sydney 45 seat - Diagram - Cross Seat BP Dr23C2 | Dr23C2 |
| 60-68 | A | Sydney 45 seat - Diagram - Cross Seat Dr23C2 | Dr23C2 |
| 60-69 | B | NSW R car - Suggested Seating Arrangement Dr27C5 | Dr27C5 |
| 60-69 | B | NSW R car - Suggested Seating Arrangement BP Dr27C5 | Dr27C5 |
| 60-70 | A | NSW R Class - Brake gear arrangement BP Dr27C5 | Dr27C5 |
| 60-70 | A | NSW R Class - Brake gear arrangement Dr27C5 | Dr27C5 |
| 60-71 | A | NSW Standard headlight cover BP Dr27C5 | Dr27C5 |
| 60-71 | A | NSW Standard headlight cover Dr27C5 | Dr27C5 |
| 60-72 | A | NSW No. 1 type headlight reflector BP Dr27C5 | Dr27C5 |
| 60-72 | A | NSW No. 1 type headlight reflector Dr27C5 | Dr27C5 |
| 61-1026 | A | Hoffman - Ball & roller bearings-axle box-drive wheel BP Dr62C1 | Dr62C1 |
| 61-1026 | A | Hoffman - Ball & roller bearings-axle box-drive wheel Dr62C1 | Dr62C1 |
| 61-1027 | A | Hoffman - Ball & roller bearings-axle box-pony wheel BP Dr62C1 | Dr62C1 |
| 61-1027 | A | Hoffman - Ball & roller bearings-axle box-pony wheel Dr62C1 | Dr62C1 |
| 61-1028 | A | Hoffman - Ball & roller bearings-axle box- 39E truck driving wheel BP Dr62C1 | Dr62C1 |
| 61-1028 | A | Hoffman - Ball & roller bearings-axle box- 39E truck driving wheel Dr62C1 | Dr62C1 |
| 61-1039 | A | Pony axle box No B256 CI for 39E truck BP Dr62C1 | Dr62C1 |
| 61-1039 | A | Pony axle box No B256 CI for 39E truck Dr62C1 | Dr62C1 |
| 61-1040 | A | BTT 31ins Wheel - centre & Tyre - type A 33.31 Dr62C1 | Dr62C1 |
| 61-1041 | A | BTT 31ins Wheel - centre & Tyre - type B 33.33 Dr62C1 | Dr62C1 |
| 61-1042 | A | BTT 31ins Wheel - centre & Tyre - type C 33.34 Dr62C1 | Dr62C1 |
| 61-1043 | A | BTT 21ins pony wheel - centre & Tyre - type D 33.32 Dr62C1 | Dr62C1 |
| 63-26 | A | Suggested rearrangement jack old cars BP Dr62C1 | Dr62C1 |
| 63-26 | A | Suggested rearrangement jack old cars Dr62C1 | Dr62C1 |
| 63-48 | A | Combination route number and destination indicator SK112 Dr62C1 | Dr62C1 |
| 64-13 | A | Westinghouse CR4 Air compressor Governor Assembly Dr54C1 | Dr54C1 |
| BTC31-13 | A | Brake lever Dead End Dr42C2 | Dr42C2 |

| Plan No | Series | Drawing Name | Draw |
|--------------|--------|---|--------------|
| BTC31-14 | A | Brake lever Lived End Dr42C2 | Dr42C2 |
| BTC31-15&16 | A | Live lever Crosshead and Brake Hanger Bolt Dr42C2 | Dr42C2 |
| BTC31-17 | A | Brake Take Up Link Dr42C2 | Dr42C2 |
| BTC31-18 | A | Bottom Rod Jaw - Live End Dr42C2 | Dr42C2 |
| BTC31-19 | A | Bottom Rod Jaw - Dead End Dr42C2 | Dr42C2 |
| BTC31-21 | A | Centre Plate Ring Dr42C2 | Dr42C2 |
| BTC31-22-23 | A | Brake Hanger Bracket Dr42C2 | Dr42C2 |
| BTC31-24 | A | Horn Stay Dr42C2 | Dr42C2 |
| BTC31-25 | A | Elliptic Spring seat Dr42C2 | Dr42C2 |
| BTC31-26 | A | Brake Shoe Key, Live Lever Crosshead Bold and Suspension Bar Bracket Dr42C2 | Dr42C2 |
| BTC31-27 | A | Bogie Rubbing plate Dr42C2 | Dr42C2 |
| BTC31-28 | A | Spring Seat Link Dr42C2 | Dr42C2 |
| BTC31-29 | A | Brake Hanger Spring Seat and index Dr42C2 | Dr42C2 |
| BTC31-30 | A | Alteration to Brake Anchor bracket Dr42C2 | Dr42C2 |
| BTC31-31to34 | A | Alteration to Gusset Plate Dr42C2 | Dr42C2 |
| BTC31-35&36 | A | Alteration to Horn Liners Dr42C2 | Dr42C2 |
| BTC31-37 | A | Alteration to stretcher bar Dr42C2 | Dr42C2 |
| BTC31-38 | A | Alteration to Brake adjusting screw Dr42C2 | Dr42C2 |
| BTC31-39 | A | Alteration to side frame ends Dr42C2 | Dr42C2 |
| BTC31-40 | A | Pull Rod Bracket Dr42C2 | Dr42C2 |
| BTC31-41 | A | Pull Rod Link Dr42C2 | Dr42C2 |
| BTC31-42 | A | Motor Nose Support Dr42C2 | Dr42C2 |
| BTC31-43 | A | Motor Suspension bar and bracket Dr42C2 | Dr42C2 |
| BTC31-44 | A | Rubbing Plate Dr42C2 | Dr42C2 |
| BTC31-45 | A | Motor Nose Yoke Dr42C2 | Dr42C2 |
| BTC31-47 | A | Bogie Centre Pin and index Dr42C2 | Dr42C2 |
| BTC31-50 | A | Transom Dr42C2 | Dr42C2 |
| Drg0000 | A | Vancouver_Perth HD Stepless plan and elevation Dr40C3 | Dr40C3 |
| Drg0000 | A | Car listing with brake, poles, motors, protected and contoller detail BP Cb6B BookE28 | Cb6B BookE28 |
| Drg0000 | A | Car listing with brake, poles, motors, protected and contoller detail Cb6B BookE28 | Cb6B BookE28 |
| Drg2376 | A | detail 12 Bench drawing Dr62C1 | Dr62C1 |
| Drg2589 | A | Arrandement of Toocam Brakes on 21E tracks BP Dr45C1 | Dr45C1 |

| Plan No | Series | Drawing Name | Draw |
|-----------|--------|--|----------------|
| Drg2589 | A | Arrangement of Toocom Brakes on 21E tracks Dr45C1 | Dr45C1 |
| Drg2600 | A | Car 63 WAGT stepless Car BP Dr27C8 | Dr27C8 |
| Drg2600 | A | Car 63 WAGT stepless Car Dr27C8 | Dr27C8 |
| Drg5318 | A | Journal box for Brill 27 E 1 truck surface lines Dr62C1 | Dr62C1 |
| Drg5318 | B | Journal box for Brill 270 Truck Dr62C1 | Dr62C1 |
| Drg5411 | A | Commutation chart BP Cb6B BookE28 | Cb6B BookE28 |
| Drg5411 | A | Commutation chart Cb6B BookE28 | Cb6B BookE28 |
| Drg5420 | A | Tram controllers and motors listing Dr86C1 | Dr86C1 |
| Drg5440 | A | Tram Air Brake Compressor Test Bench 600v switch locking device Dr45C1 | Dr45C1 |
| Drg5448 | A | Tram Air Brake Compressor Test Bench 600v Terminal box locking device Dr45C1 | Dr45C1 |
| DrgC34078 | A | Sydney Trucks lifting locations Dr46C1 | Dr46C1 |
| DrgTC434 | A | Sydney single deck 8W Saloon Car Dr27C5 | Dr27C5 |
| OT003 | A | German Tram Wiener Stadtwerke May 1961 Dr110 FileK151 | Dr110 FileK151 |
| TL001 | A | Layout Plan of Dropcentre and FM Dr00C1 | Dr00C1 |

